




SKB
CASES


**Pro Audio
Cases**

Table of Contents

Gig Rigs	4
Gig Rigs Accessories	6
Compact Rigs	7
Studio Flyers	8
Mixer Console Cases	9
Mixer Cases	11
Bose Speaker Cases	14
Bags and Soft Cases	15
DJ Cases	16
Wired Mic Cases	18
Wireless Mic Cases	20
Recorder Cases	22
Tripod/Stand Cases	23
iSeries Cases	24
iSeries Size Chart	26
Flyable Cases	30
Specialty Cases	32
iSeries Accessories	34
rSeries Cases	36
rSeries Size Chart	38
Rack Cases	42
Shallow Roto Racks	43
Standard Roto Racks	44
Fly Racks	45
Military Grade Shock Racks	46
3RS Series Racks	48
3RR Series Racks	49
Warranty Info	50

Injection Mold

This is SKB's latest venture in our quest to provide the most innovative hard shell case products. Injection molding is an expensive investment that leaves no room for error. Made with extreme pressure, even the smallest injection molded part requires a very large and heavy mold (some of SKB's molds are nearly 20 tons!). The injection mold process produces many of our parts—such as our patented Trigger Latches—and our gasket-sealed waterproof iSeries cases are proving to be popular transport solutions for everyone from touring musicians to military personnel. Never before has an ATA flight case been so advanced and lightweight.



Roto-Mold


In 1997, SKB invested in roto-mold machinery. These molds are ideal for making large and cylindrical cases. The PE roto-mold material starts as a fine powder that is measured according to the size of the case. The material is then sealed up in a multi-piece aluminum mold, fixed on a biaxial rotating wheel, and heated to 800° in a very large oven while the mold constantly rotates. The powder melts and coats the inside of the mold and, after cooling, the cast is disassembled and the new case is removed. Roto-molding is great for providing maximum transport protection and impact resistance.



Vacuum Form

Also known as thermal form, this was the first and most recognized "SKB Style" case. This method is very popular for everything from guitar and band instrument cases to golf cases, rifle cases, and more. In 1990, SKB developed the first vacuum formed rack case. Acrylonitrile Butadiene Styrene (ABS) or Polyethylene (PE) is formed into solid sheets of material. The sheets are then heated and vacuum formed around aluminum castings, thus taking the shape of the mold. The edges have a distinctive aluminum valance that provides rigid construction as well as a secure fit. Vacuum formed products are known for their light weight and extreme durability.





Our Story

In 1977, two ambitious college students developed the first SKB case in a small Anaheim, California garage. What would eventually become the industry's premier lightweight molded guitar case was just the first of many innovations that have since cemented SKB's global reputation as a leading manufacturer of superior equipment transportation solutions. These solutions are helping diverse industries around the world—from music and photography to sports, aerospace, military, industrial, and beyond—to protect their livelihoods, build better products, and get the job done.

If our over 45 years of steady growth have taught us anything, it's that we have our customers to thank for giving us the opportunity to excel; it's their challenges that have allowed us to develop and grow. We at SKB are grateful for the continued trust and loyalty of our customers, and we remain dedicated to the assurance that every case with an SKB logo has been manufactured with an unconditional commitment to unsurpassed quality.

Gig Rigs



Step 1

Gig Rig is lockable and stores/ travels as a solid cube



Step 2

The lid will be used as a pedestal



Step 3

Attach lid to bottom caster skid



Step 4

Attach mixer section to top of lid (puts mixer at proper height)



4 over-molded, spring loaded handles for easy maneuvering

1SKB19-R1406 Mighty Gig Rig

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 14U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 6U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base
- Top Rack: 14U
- Vertical Front Rack: 6U Front/6U Back

Exterior	32.25" x 25.5" x 24"
	81.92 x 64.77 x 60.96 cm
Weight	68.36 lbs 31 kg
Rail-to-rail depth	26" 66.04 cm

1SKB19-R1208 Gig Rig

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 12U+, 7° angled top threaded steel rails for secure mounting of popular mixers
- 8U threaded vertical steel rails on front and back
- Unique 3-piece design uses the top cover as a pedestal when attached to wheeled base
- Top Rack: 12U
- Vertical Front Rack: 8U Front/8U Back

Exterior	28.75" x 27.75" x 23.75"
	73.03 x 70.48 x 60.33 cm
Weight	70.43 lbs 31.94 kg
Rail-to-rail depth	18.675" 47.43 cm



Back of rack is 8" deep to accommodate back load mixers



1SKB19-REX6 The Mighty Gig Rig Expander

Add an additional 12U (6U Front/6U Back) for additional Gig Rig rack storage. Top lid of Expander is removable for complete cable access between Gig Rig and Expander.

Fits: 1SKB19-R1406

- Vertical Front Rack: 6U Front/6U Back

Exterior	32.25" x 24.25" x 17.875"
	81.92 x 61.59 x 45.4 cm
Weight	37.42 lbs 16.97 kg
Rail-to-rail depth	26" 66.04 cm



Gig Rigs Accessories

1SKB-AV8 8 Space Audio Video Shelf

Metal Shelf, Metal Scissor Hinge

- Rack Unit Required: 8U, 7° Top Rack

Surface 17" x 11" 43.18 x 27.94 cm
Weight 6.27 lbs 2.84 kg



Rack Ears

Model Number	Description	Material	Weight
1SKB-RE-TF1*	Yamaha TF1	Metal Rack Ears for Yamaha TF1 Mixer	1.67 lbs 0.76 kg
1SKB-RE-SQ5*	Allen & Heath SQ5	Metal Rack Ears for Allen & Heath SQ5 Mixer	2.29 lbs 1.32 kg



* Check skbcases.com for compatible models



1SKB-AV14

Plastic Shelf, Metal Scissor Hinge
(only for 1SKB19-R1406)

- Rack Unit Required: 14U, 7° Top Rack

Surface 16" x 16.5" 40.64 x 41.91 cm
Weight 7.2 lbs 3.27 kg

1SKB-VS-2

Fixed Metal Shelf

- Rack Unit Required: 8U, 7° Top Rack

Surface 17.375" x 12.5" 44.13 x 31.75 cm
Weight 4.43 lbs 2.01 kg

1SKB-VS-1

Pullout Plastic Shelf

- Rack Unit Required: 2U (vertical)

Surface 16" x 16.5" 40.64 x 41.91 cm
Weight 7.76 lbs 3.48 kg

Compact Rigs

- Rotationally molded of Linear Medium Density Polyethylene (LMDPE) for maximum impact resistance
- 10U, 7° angled top threaded steel rails for secure mounting of popular mixers/DJ controllers
- Top and doors are injection molded of Rubber Modified Styrene (RMS)
- 2U/4U/6U threaded vertical steel rails on front
- Two removable side access plugs



Compact Rigs

Model Number	Top Rack	Rack Units	Exterior	Weight
1SKB-R100	10U	None	23.75" x 23.125" x 11.5" 60.33 x 58.74 x 29.21 cm	18.16 lbs 8.24 kg
1SKB-R102	10U	2U	23.875" x 23.375" x 14.25" 60.64 x 59.37 x 36.2 cm	20.04 lbs 9.09 kg
1SKB-R104	10U	4U	23.75" x 23.375" x 21.25" 60.33 x 59.69 x 45.09 cm	24.3 lbs 11.02 kg
1SKB-R106	10U	6U	23.75" x 23.375" x 21.25" 60.33 x 59.37 x 53.98 cm	26.34 lbs 11.95 kg
1SKB-R1906		6U Front 6U Back	26.5" x 25.5" x 16" 67.31 x 64.77 x 40.64 cm	39.03 lbs 17.7 kg



Rolling Compact Rigs (includes rear rack rails)

Model Number	Top Rack	Rack Units	Exterior	Weight
1SKB-R102W	10U	2U	28" x 23.5" x 15.625" 71.12 x 59.69 x 39.69 cm	30.79 lbs 13.96 kg
1SKB-R104W	10U	4U	27.75" x 23" x 19.25" 70.48 x 58.42 x 48.9 cm	34 lbs 15.42 kg
1SKB-R106W	10U	6U	28" x 23" x 22.75" 71.12 x 58.42 x 57.79 cm	37.62 lbs 17.06 kg

Accessories

- 1SKB-R1906 6U Compact Rig Expander
- 1SKB-AV8 Hook & Loop Retract Shelf for 7° Rack Mount
- 1SKB-VS-2 Fixed Hook & Loop Rack Shelf for 7° Rack Mount

Studio Flyers

- World's first injection molded waterproof studio rack cases
- Lighter, stronger, and more affordable than previous Studio Flyers
- Front and rear molded-in square rack rails pre-installed with cage nuts
- Improved quiet-glide wheels
- Easy-to-operate pull handle
- Made in the USA
- Unconditional Lifetime Warranty

i series



1SKB-iSF2U Injection Molded 2U Studio Flyer Rack Case

- Rack Units: 2U

Exterior	21.75" x 13.875" x 9"	
	55.24 x 35.24 x 22.86 cm	
Surface	19" x 11"	48.26 x 27.94 cm
Weight	15.32 lbs	6.95 kg
Rail-to-rail depth	11.25"	28.57 cm



Approved airline
carry-on size



i series



1SKB-iSF4U Injection Molded 4U Studio Flyer Rack Case

- Rack Units: 4U

Exterior	24" x 18.75" x 12.75"	
	60.96 x 47.63 x 32.38 cm	
Surface	21" x 15.5"	53.34 x 39.37 cm
Weight	22.14 lbs	10.04 kg
Rail-to-rail depth	15"	38.1 cm

Mixer Console Cases

SKB has designed a line of mixer cases for some of the most popular 32-channel mixers in the market. The 1RMX32-DHW, fits the Behringer X32 mixer, the 1RMQU32-DHW fits the Allen & Heath QU32, the 1RMTF5-DHW fits the Yamaha TF5 and the 1RMM32-DHW fits the Midas M32 mixer. All four roto-molded cases include a large rubber gasket in the lids to keep rain and moisture out. Overall weight is lighter than equivalent road cases while providing superior protection.

1RMX32-DHW Roto-Molded Behringer X32 Mixer Case with Wheels

Fits the Behringer X32

Exterior 41" x 34.25" x 14"
104.14 x 87 x 35.56 cm
Weight 80.94 lbs 36.71 kg



1RMM32-DHW Roto-Molded Midas M32 Mixer Case with Wheels

Fits the Midas M32

Exterior 44.75" x 37" x 14.625"
113.67 x 93.98 x 37.15 cm
Weight 88.45 lbs 40.11 kg



Ease of use

4" heavy-duty casters, large butterfly latches, and six spring loaded handles



Construction

Double wall construction with custom foam blocks



Accessible

Easy access hinged doghouse



Interior

Custom foam interior for each model



Mixer Cases

i series



3i2620-13BWC Behringer WING Compact Case

Fits the Behringer WING compact mixing console with room for accessories

Exterior 28.56" x 22.56" x 14.65"
72.59 x 57.3 x 37.21 cm

Weight 26 lbs 11.79 kg



i series



3i1813-7-CQ1 Allen & Heath CQ-12T or CQ-18T Mixer Case

Fits either the Allen & Heath's CQ-12T or CQ-18T mixer with room for accessories

Exterior 19.875" x 15.5" x 7.875"
50.48 x 39.37 x 20 cm

Weight 8.8 lbs 3.99 kg



i series



3i1813-7-CQ2 Allen & Heath CQ-20B Mixer Case

Fits the Allen & Heath CQ-20B with room for accessories

Exterior 19.875" x 15.5" x 7.875"
50.48 x 39.37 x 20 cm

Weight 8.6 lbs 3.9 kg



i series



3i2828-12AS iSeries 2828-12 Allen & Heath Avantis Solo Case

Fits the Allen & Heath Avantis Solo
with room for accessories

Exterior 30.9" x 30.56" x 12.84"
78.49 x 77.62 x 32.61 cm
Weight 30.4 lbs 13.79 kg



i series



3i2015-10DM3 iSeries 2015-10 Yamaha DM3 Digital Mixer Case

Fits the Yamaha DM3 or DM3-D
with room for accessories

Exterior 23" x 18" x 11.5"
58.42 x 45.72 x 29.21 cm
Weight 16.4 lbs 7.44 kg



i series



3i3026-15LV1 iSeries 3026-15 Waves LV1 Classic Case

Fits the Waves LV1 Classic mixing
console with room for accessories

Exterior 33.75" x 28.5" x 16.25"
85.72 x 72.39 x 41.27 cm
Weight 34.8 lbs 15.78 kg





3i1813-7-TMIX iSeries Watertight TouchMix Case

Provides superior protection for QSC's popular TouchMix-8 or the TouchMix-16 mixers; custom cutout provides space for the power supply while the lower part of the case accommodates a standard or mini iPad

Exterior 19.875" x 15.5" x 7.875"
50.48 x 39.37 x 20 cm

Weight 8.82 lbs 4 kg



3i2222-12SQ5 iSeries Allen & Heath SQ5 Mixer Case

Fits the Allen & Heath SQ5 digital mixer with room below for accessories

Exterior 25" x 24.75" x 14.125"
63.5 x 62.87 x 35.88 cm

Weight 24.22 lbs 10.98 kg



Model Number	Exterior	Weight
1SKB19-R1400	32.25" x 24.25" x 13" 81.92 x 61.59 x 33.02 cm	27.86 lbs 12.63 kg
3i1510-6-RD	16.24" x 12.94" x 6.78" 41.25 x 32.87 x 17.22 cm	6 lbs 2.72 kg
3i1813-7-RP2	19.875" x 15.5" x 7.875" 50.48 x 39.37 x 20 cm	9.2 lbs 4.17 kg

Bose Speaker Cases

i series



3i2615-10L32 Bose L1 Pro32 Pedestal Case

Fits the Bose L1 Pro32 pedestal power stand with two large compartments below for cables, microphones, and other accessories

Exterior	28.6" x 17.55" x 11.65"
	72.64 x 44.58 x 29.59 cm
Weight	21.2 lbs 9.61 kg



i series



3i4909-5L32 Bose L1 Pro32 Speaker Case

Fits the Bose L1 Pro32 loudspeaker with custom foam to securely hold the two tower speakers

Exterior	50.35" x 11.54" x 5.84"
	127.89 x 29.31 x 14.83 cm
Weight	14 lbs 6.35 kg

Bags and Soft Cases

- 600 Denier exterior
- Heavy-duty dual zippers
- Adjustable padded shoulder strap
- Double stitched carrying handle
- Convenient padded exterior accessory compartment for iPad or cables

Universal Bags

Model Number	Interior	Weight
1SKB-UB0909	9.5" x 9" x 2.5" 24.13 x 22.86 x 6.35 cm	1.3 lbs 0.59 kg
1SKB-UB1212	12.5" x 12" x 4" 31.75 x 30.48 x 10.16 cm	1.8 lbs 0.82 kg
1SKB-UB1515	15" x 15" x 5" 38.1 x 38.1 x 12.7 cm	2.26 lbs 1.02 kg
1SKB-UB1818	18.5" x 18" x 5" 46.99 x 45.72 x 12.7 cm	2.63 lbs 1.19 kg
1SKB-UB2020	20" x 20" x 5" 50.8 x 50.8 x 12.7 cm	2.79 lbs 1.27 kg



Controller Cases

Model Number	Interior	Weight
1SKB-SC1913	19" x 13" x 3.25" 48.26 x 33.02 x 8.26 cm	3.02 lbs 1.37 kg
1SKB-SC2111	21.75" x 11.375" x 4" 55.24 x 28.89 x 10.16 cm	3.37 lbs 1.53 kg
1SKB-SC2311	23" x 11" x 3.75" 58.42 x 27.94 x 9.53 cm	3.15 lbs 1.43 kg
1SKB-SC2316	23" x 16" x 6" 58.42 x 40.64 x 15.24 cm	5.28 lbs 2.39 kg
1SKB-SC2414	23.75" x 14" x 4.25" 60.33 x 35.56 x 10.79 cm	4.29 lbs 1.95 kg
1SKB-SC2709	27" x 9.5" x 3.125" 68.58 x 24.13 x 7.94 cm	3.03 lbs 1.37 kg
1SKB-SC2714	27" x 14" x 4" 68.58 x 35.56 x 10.16 cm	4.6 lbs 2.09 kg
1SKB-SC3212	32" x 12" x 3.375" 81.28 x 30.48 x 8.57 cm	4.42 lbs 2 kg



DJ Cases

i series



3i1813-5MPC1 iSeries Akai MPC One Case

Fits the Akai MPC One Sampler/
Sequencer, with side pockets
for the power supply, audio
cables, or other accessories

Exterior 19.68" x 15.18" x 5.46"
49.99 x 38.56 x 13.87 cm
Weight 6.57 lbs 2.98 kg



i series



3i1813-7MPC2 iSeries Akai MPC Live II Case

Fits the Akai MPC Live II Sampler/
Sequencer, with a large (13" x 6.63"
x 3.25") accessory pocket below
for the power supply, headphones,
audio cables, or other accessories

Exterior 19.83" x 15.5" x 7.88"
50.37 x 39.37 x 20.02 cm
Weight 8.64 lbs 3.92 kg



i series



3i2421-7MPCX iSeries Akai MPC X Case

Fits the Akai MPC X Sampler/Sequencer with room for cables and other accessories, oversized carry handle, easy-to-operate tow handle, and in-line wheels

Exterior 26.25" x 23.5" x 8.5"
66.67 x 59.69 x 21.59 cm
Weight 21.29 lbs 9.66 kg



i series



3i-201510PAR iSeries Chauvet Freedom Par Case

Features padded compartments for 6 ADJ Element Par Lights or 6 Chauvet Freedom Par Lights and 10 individual power cable/ accessory compartments, with wheels and a pull handle for easy transport

Exterior 23" x 18" x 11.5"
58.42 x 45.72 x 29.21 cm
Weight 20.45 lbs 9.27 kg



i series



3i-1813-5NT iSeries 1813-5 Laptop Case with Think Tank Interior

Features a padded Think Tank-designed interior with a rigid removable work surface flap that fits a laptop up to 16", a heavy-duty hook-and-loop strap with positionable foam blocks that help provide a custom fit, accessory pouches, and a lid organizer for small accessories

Exterior 19.68" x 15.18" x 5.46"
49.99 x 38.56 x 13.87 cm
Weight 8.5 lbs 3.85 kg



Wired Mic Cases

i series



3i-0907-MC3 iSeries 3 Mic Case

Fits 3 mics with perforated foam
for different mic shapes

Exterior 10.5" x 9.5" x 4.75"
26.67 x 24.13 x 12.06 cm
Weight 2.73 lbs 1.24 kg



i series



3i-0907-MC6 iSeries 6 Mic Case

Fits 6 mics with perforated foam
for different mic shapes

Exterior 10.75" x 9.5" x 6.75"
27.3 x 24.13 x 17.14 cm
Weight 3.14 lbs 1.42 kg



i series



3i-1610-MC8 iSeries 8 Mic Case

Fits 8 handheld, wired microphones stored
vertically with a 10" x 8" x 9" compartment for
cables, direct boxes, and microphone clips

Exterior 17.38" x 12.54" x 11.68"
44.15 x 31.85 x 29.67 cm
Weight 8.4 lbs 3.81 kg



i series



3i-2011-MC12 iSeries 12 Mic Case

Fits 12 mics with cable storage

Exterior 22" x 14" x 9"
55.88 x 35.56 x 22.86 cm

Weight 8.89 lbs 4.03 kg



i series



3i-2015-MC24 iSeries 24 Mic Case

Fits 24 mics with cable storage

Exterior 22.75" x 17.75" x 11.5"
57.79 x 45.09 x 29.21 cm

Weight 16.35 lbs 7.41 kg



Wireless Mic Cases

iSeries



3i-342412MXC iSeries Shure Microflex Wireless System Case

Custom cut foam interior for 10 MXC420/C or MXC420DF/C microphones, MXCWAPT Access Point Transceiver, MXCWNCN Network Charging Station with 10 SKB930 batteries installed

Exterior 37.75" x 27" x 13.5"
95.89 x 65.58 x 34.29 cm

Weight 38.5 lbs 17.46 kg



Model Number	Description	Exterior	Weight
3i0705-3-XSW	iSeries Sennheiser XSW-D ENG Set Wireless Audio System Case	8.375" x 6.75" x 3.75" 21.27 x 17.14 x 9.53 cm	1.26 lbs 0.57 kg
3i-0806-3-AVX	iSeries Sennheiser AVX Mic Case	9.375" x 7.75" x 4.375" 23.81 x 19.68 x 11.11 cm	1.81 lbs 0.82 kg
3i0907-4-SWK	iSeries Sennheiser EW Wireless Mic Case	10.75" x 9.75" x 4.75" 27.3 x 24.77 x 12.06 cm	2.73 lbs 1.24 kg
3i-1711-SEN	Foam Cut for Sennheiser EW Wireless Mic Series	18.25" x 13.79" x 6.81" 46.36 x 35.03 x 17.3 cm	6.82 lbs 3.09 kg
3i-1813-7WMC	Foam Cut for 8 Wireless Mic System, Bodypacks	19.875" x 15.5" x 7.875" 50.48 x 39.37 x 20 cm	9.7 lbs 4.4 kg
3i-221710WMC	2U Rack + Foam Cut for 4 Wireless Mics, 4 Bodypacks	24.52" x 19.5" x 12.22" 62.28 x 49.53 x 31.04 cm	26.34 lbs 11.95 kg
3i-231714WMC	4U Rack + Foam Cut for 4 Wireless Mics, 4 Bodypacks	25.58" x 19.47" x 15.68" 64.97 x 49.45 x 39.83 cm	30.46 lbs 13.81 kg

i series



3i-1711-XLXD iSeries 1711-6 Shure SLX-D/QLX-D Case

Foam cut for Shure SLX-D/QLX-D wireless mic system

Exterior 18.25" x 13.79" x 6.81"
46.36 x 35.03 x 17.3 cm
Weight 6.89 lbs 3.12 kg



i series



3i-1813-5WMC iSeries 1813-5 Wireless Four Mic Case

Foam cut for 4 wireless mic system, bodypacks

Exterior 19.75" x 15.25" x 5.5"
50.16 x 38.73 x 13.97 cm
Weight 6.42 lbs 2.91 kg

i series



3i-221312WMC iSeries 2213-12 Wireless 16 Mic Case

Cutouts for 16 handheld wireless microphones

Exterior 24.25" x 15.5" x 13.625"
61.59 x 39.37 x 34.61 cm
Weight 19.21 lbs 8.71 kg



Recorder Cases

Zoom Recorders

SKB iSeries officially licensed waterproof hard cases were specifically designed for Zoom recorders with custom cut, high quality PE foam interiors

i series



3i-0806-3H4E iSeries 0806-3 Zoom H4essential Recorder Case

Fits the Zoom H4essential portable recorder and accessories

Exterior 9.375" x 7.75" x 4.375"
23.81 x 19.68 x 11.11 cm
Weight 1.8 lbs 0.82 kg



i series



3i-0907-4H6E iSeries 0907-4 Zoom H6essential Recorder

Fits the Zoom H6essential portable recorder, mic capsule, and accessories

Exterior 10.75" x 9.75" x 4.75"
27.3 x 24.77 x 12.06 cm
Weight 2.8 lbs 1.27 kg

Tripod/ Stand Cases

Roto-molded tripod cases are available in 8 sizes to accommodate every popular tripod and light stand from 29" to 50"



Model Number	Interior	Exterior	Weight	Wheels
1SKB-R2411	23.25" x 11" 59.05 x 27.94 cm	26.5" x 14" x 12.75" 67.31 x 35.56 x 32.38 cm	10.87 lbs 4.93 kg	No
1SKB-R2907	28" x 7.75" 71.12 x 19.67 cm	32.25" x 10.75" x 9.5" 81.92 x 27.3 x 24.13 cm	7.73 lbs 3.51 kg	No
1SKB-R3411W	34" x 11.25" 86.36 x 28.57 cm	38.25" x 14.25" x 13" 97.16 x 36.2 x 33.02 cm	14.67 lbs 6.65 kg	Yes
1SKB-R3709W	36.75" x 10" 93.34 x 25.4 cm	41" x 12.75" x 11.25" 104.14 x 32.38 x 28.57 cm	11.76 lbs 5.33 kg	Yes
1SKB-R4111W	41.25" x 11.25" 104.75 x 28.57 cm	45.5" x 14.25" x 13.25" 115.57 x 36.2 x 33.66 cm	17.7 lbs 8.03 kg	Yes
1SKB-R4209W	43.5" x 9.5" 110.49 x 24.13 cm	48.375" x 12.25" x 11.25" 122.87 x 31.12 x 28.57 cm	14.49 lbs 6.57 kg	Yes
1SKB-R4611W	46.25" x 11" 117.48 x 27.94 cm	49.75" x 14.5" x 13.25" 126.36 x 36.83 x 33.66 cm	15.65 lbs 7.1 kg	Yes
1SKB-R5011W	50.25" x 11.25" 127.64 x 28.57 cm	54.25" x 14.5" x 13" 137.8 x 36.83 x 33.02 cm	16.92 lbs 7.67 kg	Yes



Web Straps

Heavy-duty web straps with sturdy high-tension slide release buckles



Wheels

In-line skate style wheels for easy transport (see chart)



Handles

Two molded-in ergonomic carrying handles



Lock

Integrated padlock loop for customer supplied lock

iSeries Cases

SKB iSeries cases are watertight, dust-proof, and are virtually indestructible. They also come in over 60 sizes with several standard interior options to suit almost any application. For a complete list of sizes ask your sales representative or visit skbcases.com.

- Lighter and 2.8x stronger than the competition
- Watertight and dustproof
- Meets military standards and manufactured to withstand the toughest conditions
- Resistant to impact damage, UV, solvents, corrosion, and fungus (MIL-STD-810G)
- 100% made in the USA and full warranted for the lifetime of the case to the original owner



i series **MILITARY APPROVED**



Pull Handle

Convenient pull handle with easy push button release



Trigger Latches

Easy-to-operate trigger latches and reinforced padlock hoops




Pressure Valve

Automatic ambient pressure relief valve



Wheels

Quiet-glide, skate-style wheels



Cubed Foam

Layers of cubed foam for customization



Padded Divider

High contrast Think Tank padded divider interiors

Model Number Key

iSeries	Interior Length	Interior Width	Interior Total Depth
3i	23	17	14

iSeries Size Chart

Cases described are in-stock items offered in black. Check skbcases.com for our complete lineup of case styles, sizes, customization options, and more to suit every project need.



Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Pull Handle/Wheels	Photo Dividers	Cubed Foam	Layered Foam	Lid Organizer	Video Dividers
3i-0702-1	7.76" x 2.15" x 1.3" 19.71 x 5.46 x 3.3 cm	8.63" x 3.14" x 1.56" 21.92 x 7.98 x 3.96 cm	0.65" 1.65 cm	0.65" 1.65 cm	0.33 lbs 0.15 kg				X		
3i-0705-3	7.5" x 5" x 3.25" 19.05 x 12.7 x 8.26 cm	8.36" x 6.7" x 3.83" 21.23 x 17.02 x 9.73 cm	0.5" 1.27 cm	2.75" 6.99 cm	1.13 lbs 0.51 kg			X			
3i-0806-3	8.5" x 6" x 3.75" 21.59 x 15.24 x 9.53 cm	9.41" x 7.82" x 4.35" 23.9 x 19.86 x 11.05 cm	0.5" 1.27 cm	3.25" 8.26 cm	1.63 lbs 0.74 kg			X			
3i-0907-4	9.5" x 7.38" x 4.13" 24.13 x 18.75 x 10.49 cm	10.74" x 9.7" x 4.78" 27.28 x 24.64 x 12.14 cm	1.19" 3.02 cm	2.94" 7.47 cm	2.57 lbs 1.17 kg		X	X	X		
3i-0907-6	9.38" x 7.38" x 6.13" 23.83 x 18.75 x 15.57 cm	10.68" x 9.69" x 6.82" 27.13 x 24.61 x 17.32 cm	1.19" 3.02 cm	4.94" 12.55 cm	2.88 lbs 1.31 kg		X	X	X		
3i-1006-3	10.75" x 6.13" x 3.25" 27.31 x 15.57 x 8.26 cm	11.72" x 8" x 3.86" 29.77 x 20.32 x 9.8 cm	0.5" 1.27 cm	2.75" 6.99 cm	1.96 lbs 0.89 kg			X			
3i-1208-3	12" x 8" x 3.25" 30.48 x 20.32 x 8.26 cm	12.86" x 9.7" x 3.8" 32.66 x 24.64 x 9.52 cm	0.5" 1.27 cm	2.75" 6.99 cm	2.12 lbs 0.96 kg			X			
3i-1209-4	12" x 9" x 4.5" 30.48 x 22.86 x 11.43 cm	13.18" x 11.12" x 5.21" 33.48 x 28.25 x 13.23 cm	1.5" 3.81 cm	3" 7.62 cm	3 lbs 1.36 kg		X	X	X		
3i-1309-6	13.5" x 9.5" x 6.5" 34.29 x 24.13 x 16.51 cm	14.73" x 11.94" x 7.31" 37.41 x 30.33 x 18.57 cm	1.5" 3.81 cm	5" 12.7 cm	4.75 lbs 2.15 kg		X	X		X	
3i-1510-4	15" x 10.5" x 4.5" 38.1 x 26.67 x 11.43 cm	16.25" x 13" x 5.3" 41.28 x 33.02 x 13.42 cm	1.6" 4.06 cm	3.7" 9.4 cm	4.63 lbs 2.1 kg		X	X		X	
3i-1510-6	15" x 10.5" x 6" 38.1 x 26.67 x 15.24 cm	16.24" x 12.94" x 6.78" 41.25 x 32.87 x 4.32 cm	1.7" 4.32 cm	4.3" 10.92 cm	5.19 lbs 2.35 kg		X	X	X	X	
3i-1510-9	15" x 10.5" x 9" 38.1 x 26.67 x 22.86 cm	16.25" x 13" x 9.8" 41.28 x 33.02 x 24.89 cm	1.75" 4.45 cm	7.25" 18.42 cm	6.07 lbs 2.75 kg		X	X		X	
3i-1515-6	15" x 15" x 6.5" 38.1 x 38.1 x 16.51 cm	17.5" x 17.61" x 7.31" 44.45 x 44.73 x 18.57 cm	2" 5.08 cm	4.5" 11.43	7.17 lbs 3.25 kg		X	X			
3i-1610-5	16" x 10" x 5.5" 40.64 x 25.4 x 13.97 cm	17.24" x 12.49" x 6.31" 43.79 x 31.73 x 16.03 cm	2" 5.08 cm	3.5" 8.89 cm	5.23 lbs 2.37 kg		X	X	X		
3i-1610-10	16" x 10" x 10" 40.64 x 25.4 x 25.4 cm	17.38" x 12.54" x 11.68" 44.15 x 31.85 x 29.67 cm	2.71" 6.88 cm	8.97" 22.78 cm	7.26 lbs 3.29 kg		X	X			X
3i-1706-6	17" x 6.5" x 6.5" 43.18 x 16.51 x 16.51 cm	18.2" x 8.98" x 7.3" 46.23 x 22.81 x 18.54 cm	2" 5.08 cm	4.5" 11.43 cm	4.78 lbs 2.17 kg		X	X			
3i-1711-6	17" x 11.5" x 6.16" 43.18 x 29.21 x 15.65 cm	18.32" x 13.96" x 6.95" 46.53 x 35.48 x 17.65 cm	1.84" 4.67 cm	4.32" 10.97 cm	5.91 lbs 2.68 kg		X	X	X		
3i-1717-10	17" x 17" x 10" 43.18 x 43.18 x 25.4 cm	19.5" x 19.7" x 10.9" 49.53 x 50.04 x 27.69 cm	2" 5.08 cm	8" 20.32 cm	10.47 lbs 4.75 kg			X			
3i-1717-16	17" x 17" x 16" 43.18 x 43.18 x 40.64 cm	19.46" x 19.62" x 16.86" 49.43 x 49.84 x 42.82 cm	2" 5.08 cm	14" 35.56 cm	13.87 lbs 6.29 kg			X			
3i-1813-5	18.5" x 13" x 4.79" 46.99 x 33.02 x 12.17 cm	19.71" x 15.48" x 5.58" 50.06 x 39.32 x 14.17 cm	1.53" 3.89 cm	3.26" 8.28 cm	5.8 lbs 2.63 kg		X	X	X	X	
3i-1813-7	18.52" x 13.02" x 7.06" 47.04 x 33.07 x 17.93 cm	19.69" x 15.19" x 7.71" 50.01 x 38.58 x 19.58 cm	1.52" 3.86 cm	5.54" 14.07 cm	7.71 lbs 3.5 kg		X	X		X	
3i-1914-8	19.02" x 14.52" x 8.02" 48.31 x 36.88 x 20.37 cm	21.24" x 16.77" x 9.83" 53.95 x 42.6 x 24.97 cm	2.02" 5.13 cm	6" 15.24 cm	13.19 lbs 5.98 kg	X	X	X	X		
3i-1914N-8	19" x 14.5" x 8" 48.26 x 36.83 x 20.32 cm	20.25" x 16.93" x 8.78" 51.44 x 43 x 22.3 cm	2" 5.08 cm	6" 15.24 cm	8.17 lbs 3.71 kg		X	X			

Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Pull Handle/Wheels	Photo Dividers	Cubed Foam	Layered Foam	Lid Organizer	Video Dividers
3i-2011-7	20.53" x 11.53" x 7.51" 52.15 x 29.29 x 19.08 cm	21.89" x 13.96" x 9" 55.6 x 35.46 x 22.86 cm	2.09" 5.31 cm	5.42" 13.77 cm	11.2 lbs 5.08 kg	X	X	X		X	
3i-2011-8	20.53" x 11.53" x 8.24" 52.15 x 29.29 x 20.93 cm	21.93" x 13.98" x 9" 55.7 x 35.51 x 22.86 cm	2" 5.08 cm	6.24" 15.85 cm	7.97 lbs 3.62 kg		X	X		X	
3i-2011-10	20" x 11.5" x 10.56" 50.8 x 29.21 x 26.82 cm	22" x 14" x 12" 55.88 x 35.56 x 30.48 cm	2.06" 5.23 cm	8.5" 21.59 cm	12.75 lbs 5.78 kg	X	X	X		X	
3i-2015-7	20.53" x 15.53" x 7.56" 52.15 x 39.45 x 19.2 cm	22.22" x 17.98" x 8.32" 56.44 x 45.67 x 21.13 cm	2" 5.08 cm	5.56" 14.12 cm	9.27 lbs 4.2 kg		X	X		X	
3i-2015-10	20.53" x 15.53" x 10.06" 52.15 x 39.45 x 25.55 cm	22.93" x 17.98" x 11.55" 58.24 x 45.67 x 29.34 cm	2.06" 5.23 cm	8" 20.32 cm	14.27 lbs 6.47 kg	X	X	X		X	X
3i-2015-14	20.5" x 15.5" x 14" 52.07 x 39.37 x 35.56 cm	23.07" x 18.04" x 15.55" 58.6 x 45.82 x 39.5 cm	2" 5.08 cm	12" 30.48 cm	16.8 lbs 7.62 kg	X		X			
3i-2213-12	22" x 13" x 12" 55.88 x 33.02 x 30.48 cm	24.44" x 15.52" x 13.65" 62.08 x 39.42 x 34.67 cm	2" 5.08 cm	10" 25.4 cm	16.32 lbs 7.4 kg	X		X		X	X
3i-2215-8	22" x 15.5" x 8" 55.88 x 39.37 x 20.32 cm	24.58" x 18" x 9.65" 62.43 x 45.72 x 24.51 cm	2" 5.08 cm	6" 15.24 cm	16.02 lbs 7.27 kg	X	X	X		X	
3i-2217-8	22" x 17" x 8" 55.88 x 43.18 x 20.32 cm	24.32" x 19.5" x 8.88" 61.77 x 49.53 x 22.56 cm	2" 5.08 cm	6" 15.24 cm	11.12 lbs 5.04 kg		X	X		X	
3i-2217-10	22" x 17" x 10.62" 55.88 x 43.18 x 26.98 cm	24.52" x 19.5" x 12.22" 62.28 x 49.53 x 31.04 cm	2" 5.08 cm	8.62" 21.9 cm	17.49 lbs 7.93 kg	X	X	X		X	X
3i-2217-12	22" x 17" x 12.75" 55.88 x 43.18 x 32.39 cm	24.52" x 19.5" x 14.38" 62.28 x 49.53 x 36.53 cm	2" 5.08 cm	10.75" 27.31 cm	18.57 lbs 8.42 kg	X	X	X		X	X
3i-2222-12	22.52" x 22.52" x 12.5" 57.2 x 57.2 x 31.75 cm	24.81" x 24.98" x 14.15" 63.02 x 63.45 x 35.94 cm	2" 5.08 cm	10.47" 26.59 cm	21.8 lbs 9.89 kg	X	X	X			
3i-2313-8	23" x 13.09" x 8" 58.42 x 33.25 x 20.32 cm	24.32" x 15.56" x 8.84" 61.77 x 39.52 x 22.45 cm	2" 5.08 cm	6" 15.24 cm	11 lbs 4.98 kg			X			
3i-2317-14	23" x 17" x 14" 58.42 x 43.18 x 35.56 cm	25.58" x 19.47" x 15.68" 64.97 x 49.45 x 39.83 cm	2" 5.08 cm	11.5" 29.21 cm	20.8 lbs 9.43 kg	X		X			
3i-2418-16	24" x 18" x 16" 60.96 x 45.72 x 40.64 cm	26.58" x 20.56" x 17.65" 67.51 x 52.22 x 44.83 cm	2" 5.08 cm	14" 35.56 cm	22.2 lbs 10.07 kg	X		X			
3i-2421-7	24.12" x 21" x 7" 61.27 x 53.34 x 17.78 cm	26.46" x 23.52" x 8.65" 67.21 x 59.74 x 21.97 cm	2" 5.08 cm	5" 12.7 cm	18.85 lbs 8.55 kg	X		X			
3i-2424-10	24" x 24" x 10" 60.96 x 60.96 x 25.4 cm	26.5" x 26.56" x 11.65" 67.31 x 67.46 x 29.59 cm	2" 5.08 cm	8" 20.32 cm	23.59 lbs 10.7 kg	X	X	X			
3i-2424-14	24" x 24" x 14" 60.96 x 60.96 x 35.56 cm	26.5" x 26.54" x 15.65" 67.31 x 67.41 x 39.75 cm	2" 5.08 cm	12" 30.48 cm	25.39 lbs 11.52 kg	X		X			
3i-2513-10	25.02" x 13.02" x 10.52" 63.55 x 33.07 x 26.72 cm	27.58" x 15.55" x 12.15" 70.05 x 39.5 x 30.86 cm	2.02" 5.13 cm	8.5" 21.59 cm	TBA	X					
3i-2615-10	26" x 15" x 10" 66.04 x 38.1 x 25.4 cm	28.6" x 17.55" x 11.65" 72.64 x 44.58 x 29.59 cm	2" 5.08 cm	8" 20.32 cm	19 lbs 8.62 kg	X		X			
3i-2617-12	26.08" x 17.5" x 12" 66.24 x 44.45 x 30.48 cm	26.6" x 20" x 13.65" 67.56 x 50.8 x 34.67 cm	2" 5.08 cm	10" 25.4 cm	20.89 lbs 9.48 kg	X	X	X			
3i-2620-13	26" x 20" x 13" 66.04 x 50.8 x 33.02 cm	28.58" x 22.56" x 14.65" 72.59 x 57.3 x 37.21 cm	2" 5.08 cm	11" 27.94 cm	23.5 lbs 10.66 kg	X					
3i-2828-12	28" x 28" x 12" 71.12 x 71.12 x 30.48 cm	30.9" x 30.56" x 12.84" 78.49 x 77.62 x 32.61 cm	2" 5.08 cm	10" 25.4 cm	26.066 lbs 11.82 kg	X					

Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Pull Handle/Wheels	Photo Dividers	Cubed Foam	Layered Foam	Lid Organizer	Video Dividers
3i-2914-15	29" x 14" x 15" 73.66 x 35.56 x 38.1 cm	32.08" x 16.68" x 15.87" 81.48 x 42.37 x 40.31 cm	2" 5.08 cm	13" 33.02 cm	20.18 lbs 9.15 kg	X		X			
3i-2918-10	29" x 18" x 10.85" 73.66 x 45.72 x 27.56 cm	31.52" x 20.53" x 12.5" 80.06 x 52.15 x 31.75 cm	2" 5.08 cm	8.85" 22.48 cm	22.13 lbs 10.04 kg	X	X	X			
3i-2918-14	29" x 18" x 14" 73.66 x 45.72 x 35.56 cm	31.52" x 20.53" x 15.7" 80.06 x 52.15 x 39.88 cm	2.5" 6.35 cm	11.5" 29.21 cm	24.2 lbs 10.98 kg	X		X			
3i-2922-10	29" x 22" x 10.52" 73.66 x 55.88 x 26.72 cm	31.75" x 24.6" x 12.18" 80.65 x 62.48 x 30.94 cm	2.02" 5.13 cm	8.5" 21.59 cm	26.81 lbs 12.16 kg	X	X	X			
3i-2922-16	29" x 22" x 16" 73.66 x 55.88 x 40.64 cm	31.94" x 24.54" x 16.87" 81.13 x 62.33 x 42.85 cm	2" 5.08 cm	14" 35.56 cm	28.25 lbs 12.81 kg	X		X			
3i-3016-10	30" x 16" x 10" 76.2 x 40.64 x 25.4 cm	32.4" x 18.5" x 10.85" 82.3 x 46.99 x 27.56 cm	2" 5.08 cm	8" 20.32 cm	17.58 lbs 7.97 kg	X	X	X			
3i-3019-12	30.5" x 19.5" x 12" 77.47 x 49.53 x 30.48 cm	33.42" x 22.04" x 12.87" 84.89 x 55.98 x 32.69 cm	2" 5.08 cm	10" 25.4 cm	23.59 lbs 10.7 kg	X	X	X			
3i-3021-18	30" x 21" x 18" 76.2 x 53.34 x 45.72 cm	32.94" x 23.53" x 18.87" 83.67 x 59.77 x 47.93 cm	2" 5.08 cm	16" 40.64 cm	29.93 lbs 13.58 kg	X		X			
3i-3026-15	30.75" x 26" x 15.5" 78.11 x 66.04 x 39.37 cm	33.71" x 28.53" x 16.37" 85.62 x 72.47 x 41.58 cm	2" 5.08 cm	13.5" 34.29 cm	31.46 lbs 14.27 kg	X		X			
3i-3424-12	34.5" x 24.5" x 12.75" 87.63 x 62.23 x 32.39 cm	37.44" x 27.04" x 13.62" 95.1 x 68.68 x 34.6 cm	2" 5.08 cm	10.75" 27.31 cm	29.94 lbs 13.58 kg	X		X			
3i-3613-12	36" x 13.5" x 12" 91.44 x 34.29 x 30.48 cm	38.67" x 16.05" x 12.84" 98.22 x 40.77 x 32.61 cm	2" 5.08 cm	10" 25.4 cm	20.23 lbs 9.18 kg	X	X		X		
3i-3614-6	36.5" x 14.5" x 6" 92.71 x 36.83 x 15.24 cm	39.04" x 16.81" x 6.84" 99.16 x 42.7 x 17.37 cm	1.5" 3.81 cm	4.5" 11.43 cm	15.39 lbs 6.98 kg	X			X		
3i-3913-12	39.3" x 13.57" x 12.67" 99.82 x 34.47 x 32.18 cm	42" x 16" x 14" 106.68 x 40.64 x 35.56 cm	2" 5.08 cm	10.67" 27.1 cm	22.23 lbs 10.08 kg	X			X		
3i-4213-12	42.5" x 13.5" x 12.15" 107.95 x 34.29 x 30.86 cm	45.5" x 16.03" x 12.97" 115.57 x 40.72 x 32.94 cm	2" 5.08 cm	10.15" 25.78 cm	22.8 lbs 10.34 kg	X	X		X		
3i-4214-5	42.5" x 14.5" x 5.5" 107.95 x 36.83 x 13.97 cm	44.96" x 16.98" x 6.34" 114.2 x 43.13 x 16.1 cm	1.5" 3.81 cm	4" 10.16 cm	16.46 lbs 7.47 kg	X			X		
3i-4217-7	42.49" x 17" x 7.52" 107.93 x 43.18 x 19.1 cm	45.12" x 19.45" x 8.34" 114.61 x 49.4 x 21.18 cm	2.05" 5.21 cm	5.47" 13.89 cm	20.4 lbs 9.25 kg	X			X		
3i-4414-10	44.5" x 14.5" x 10" 113.03 x 36.83 x 25.4 cm	47" x 17" x 10.84" 119.38 x 43.18 x 27.53 cm	2" 5.08 cm	8" 20.32 cm	22.89 lbs 10.38 kg	X	X		X		
3i-4719-8	47" x 19" x 8" 119.38 x 48.26 x 20.32 cm	49.66" x 21.5" x 8.87" 126.14 x 54.61 x 22.53 cm	2" 5.08 cm	6" 15.24 cm	24.03 lbs 10.9 kg	X			X		
3i-4909-5	49" x 9" x 5" 124.46 x 22.86 x 12.7 cm	50.35" x 11.54" x 5.84" 127.89 x 29.31 x 14.83 cm	1.5" 3.81 cm	3.5" 8.89 cm	12.62 lbs 5.72 kg				X		
3i-5014-6	50.5" x 14.5" x 6" 128.27 x 36.83 x 15.24 cm	53.04" x 16.98" x 6.84" 134.72 x 43.13 x 17.37 cm	1.5" 3.81 cm	4.5" 11.43 cm	18.73 lbs 8.5 kg	X			X		
3i-5616-9	56" x 16" x 9" 142.24 x 40.64 x 22.86 cm	58.71" x 18.55" x 10.63" 149.12 x 47.12 x 27 cm	2" 5.08 cm	7" 17.78 cm	28.47 lbs 12.91 kg	X			X		
3i-6018-8	60" x 18" x 8" 152.4 x 45.72 x 20.32 cm	62.71" x 20.62" x 9.63" 159.28 x 52.38 x 24.46 cm	2" 5.08 cm	6" 15.24 cm	28.59 lbs 12.97 kg	X			X		

Flyable Cases

Carry-on Sizes



i series  

3i-2011-7

Available in a variety of interiors including empty, cubed foam, Think Tank padded dividers, and Think Tank divider backpack

Interior	20.375" x 11.5" x 7"
	51.75 x 29.21 x 17.78 cm
Exterior	21.75" x 13.75" x 9"
	55.24 x 34.92 x 22.86 cm
Weight	11.2 lbs 5.08 kg



Approved airline
carry-on size



i series  

3i-CV1309-TT

Think Tank cover for 3i-1309-6 case, includes pass through shoulder strap, back pass through for attachment to rolling luggage, 2 side pockets, and exterior pocket for laptop or tablet

Interior	15" x 11.5" x 7.5"
	38.1 x 29.21 x 19.05 cm
Weight	1.76 lbs 0.8 kg



Approved airline
carry-on size

Checkable Sizes



i series  

3i-3016-10

Under 62 linear inches, maximum non-oversized checkable iSeries case

Available in a variety of interiors including empty, layered foam, cubed foam, and Think Tank padded dividers

Interior	30" x 16" x 10"
	76.2 x 40.64 x 5.08 cm
Exterior	32.4" x 18.5" x 10.85"
	82.3 x 46.99 x 27.56 cm
Weight	17.58 lbs 7.97 kg



i series  

3i-2617-12

Available in a variety of interiors including empty, cubed foam, and padded dividers

Interior	26" x 17.5" x 11.875"
	66.04 x 44.45 x 30.16 cm
Exterior	28.625" x 20.25" x 13.5"
	72.71 x 51.44 x 34.29 cm
Weight	20.89 lbs 9.47 kg

Specialty Cases



i series



3i-3613-12DT iSeries 3613-12 Case with Think Tank Designed Dividers

Features heavy-duty hinged Think Tank dividers, padded sub-dividers, built-in wheels, and a convenient pull handle for easy transport

Interior	35" x 12.5" x 9.5" 88.9 x 31.75 x 24.13 cm
Exterior	38.75" x 16" x 12.75" 98.42 x 40.64 x 32.38 cm
Weight	24.21 lbs 10.98 kg



i series



3i-2011-7B-TR iSeries 3i-2011-7 Waterproof Tech Box (with dual trays)

iSeries Tech Box with pull-out handle and wheels

Interior	20.5" x 11.5" x 7.5" 52.07 x 29.21 x 19.05 cm
Exterior	22" x 13.75" x 9" 55.88 x 34.92 x 22.86 cm
Weight	20.62 lbs 9.35 kg

i series



3i-1717-10LT iSeries 1717-10 Waterproof Utility Case (padded liner)

Features a Think Tank Nylex-wrapped closed cell fitted foam liner to pad and protect a variety of gear in transit

Interior	16" x 16" x 7.5" 40.64 x 40.64 x 19.05 cm
Exterior	19.75" x 19.5" x 10.75" 50.16 x 49.53 x 27.3 cm
Weight	12.39 lbs 5.62 kg



iSeries Accessories

Lid Organizers

Hook-and-loop adhesive backings attach securely to iSeries case lids and feature laminated zippered clear mesh pockets/pouches, including a polyester-lined iPad/laptop top-load pocket



Model Number	Description
3i-LO1309-TT	Fits 3i-1309
3i-LO1510-TT	Fits 3i-1510
3i-LO1813-TT	Fits 3i-1813
3i-LO2011-TT	Fits 3i-2011
3i-LO2015-TT	Fits 3i-2015
3i-LO2213-TT	Fits 3i-2213
3i-LO2215-TT	Fits 3i-2215
3i-LO2217-TT	Fits 3i-2217

TSA Locking Latches

Transportation Security Administration (TSA) baggage screeners are trained to recognize the Travel Sentry logo on TSA-accepted locks, which allows them to open, inspect, and relock baggage



Model Number	Description
3i-TSA-1	Fits 3i-0907-4, 3i-0907-6
3i-TSA-2	Fits 3i-1209-4, 3i-1711-6, 3i-1813-5
3i-TSA-3	Fits all other models

TSA Locks

SKB's TSA-accepted locks allow you to set your own combination and are easily recognizable by TSA screeners



1SKB-PDL TSA Accepted Padlock


1SKB-PDL-C TSA Accepted Cable Lock



Panel Mounting Ring Kits

Panel mounting rings enable attachment of an interface panel that's flush with the case rim, providing room for switches, buttons, ports, etc.

Each kit comes with panel ring, drill jigs/templates, drill bit, rubber gasket, and mounting hardware



Model Number	Description
3i-0907-PRK	Fits 3i-0907
3i-1006-PRK	Fits 3i-1006
3i-1209-PRK	Fits 3i-1209
3i-1309-PRK	Fits 3i-1309
3i-1510-PRK	Fits 3i-1510
3i-1610-5-PRK	Fits 3i-1610-5
3i-1706-PRK	Fits 3i-1706
3i-1711-PRK	Fits 3i-1711
3i-1717-PRK	Fits 3i-1717
3i-1813-PRK	Fits 3i-1813
3i-1914-PRK	Fits 3i-1914
3i-2011-PRK	Fits 3i-2011
3i-2015-PRK	Fits 3i-2015
3i-PMCK	iSeries Panel Mount Clip Kit

Colored Handles

Easily tell your cases apart by changing out the case handles to different colors to code your contents

Available colors



Model Number	Description
3i-HD73-BE	Small, Blue Overmold
3i-HD73-GN	Small, Green Overmold
3i-HD73-OR	Small, Orange Overmold
3i-HD73-RD	Small, Red Overmold
3i-HD73-YW	Small, Yellow Overmold
3i-HD80-BE	Medium, Blue Overmold
3i-HD80-GN	Medium, Green Overmold
3i-HD80-OR	Medium, Orange Overmold
3i-HD80-RD	Medium, Red Overmold
3i-HD80-YW	Medium, Yellow Overmold
3i-HD81-BE	Large, Blue Overmold
3i-HD81-GN	Large, Green Overmold
3i-HD81-OR	Large, Orange Overmold
3i-HD81-RD	Large, Red Overmold
3i-HD81-YW	Large, Yellow Overmold



rSeries Cases

SKB rSeries cases are rotationally molded to provide superior strength and durability, and feature a virtually indestructible and lightweight LLDPE shell for maximum impact resistance that has been **independently tested to meet or exceed MIL-STD-810H**.

- More than 65 sizes available
- Many interior options, including: empty, cubed foam, and layered foam
- Powder coated stainless steel hardware
- Watertight and dustproof (MIL-STD-810H)
- Resistant to UV, solvents, corrosion, fungus, and impact damage (MIL-STD-810H)
- Automatic ambient pressure equalization valve (MIL-STD-810H)





Pull Handle

Convenient pull handle with easy push button release



Trigger Latches

Easy-to-operate trigger latches and reinforced padlock hoops




Pressure Valve

Automatic ambient pressure relief valve



Wheels

Quiet-glide, skate-style wheels



Cubed Foam

Layers of cubed foam for customization



Padded Divider

High contrast Think Tank padded divider interiors



**Model
Number
Key**

rSeries	Interior Length	Interior Width	Interior Total Depth	Color (Black)
3R	22	17	10	B

rSeries Size Chart

Cases described are in-stock items offered in black. Check skbcases.com for our complete lineup of case styles, sizes, customization options, and more to suit every project need.



Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Standard	Optional Kits				
						Pull Handle/ Wheels	Edge Wheels	Caster Kit	Forklift Riser Kit	Cubed Foam	Layered Foam
3R1209-26	12" x 9" x 26.75" 30.48 x 22.86 x 67.95 cm	14.6" x 13.3" x 29" 37.08 x 33.78 x 73.66 cm	2.75" 6.99 cm	24" 60.96 cm	16.98 lbs 7.7 kg						
3R1815-13	19.13" x 15.63" x 12.75" 48.59 x 39.7 x 32.39 cm	22.25" x 18.75" x 14.75" 56.52 x 47.63 x 37.47 cm	2.25" 5.72 cm	10.25" 26.04 cm	TBA						
3R1919-14	19" x 19" x 14.57" 48.26 x 48.26 x 37.01 cm	22.81" x 22.81" x 17" 57.94 x 57.94 x 43.18 cm	3.19" 8.1 cm	11.38" 28.91 cm	19.6 lbs 8.89 kg	X				X	
3R2016-17	20.5" x 16.46" x 17.73" 52.07 x 41.81 x 45.03 cm	23.5" x 19.5" x 21.26" 59.69 x 49.53 x 54 cm	2.63" 6.68 cm	15" 38.1 cm	26 lbs 11.79 kg						
3R2216-15	22.19 x 16.25" x 15.13" 56.36 x 41.28 x 38.43 cm	25.25" x 19.25" x 16.87" 64.14 x 48.9 x 42.85 cm	3.13" 7.95 cm	12" 30.48 cm	17.7 lbs 8.03 kg						
3R2217-10	22" x 17" x 10.5" 55.88 x 43.18 x 26.67 cm	25.5" x 20.5" x 12" 64.77 x 52.07 x 30.48 cm	3.13" 7.95 cm	7.37" 18.72 cm	20.46 lbs 9.28 kg	X				X	
3R2222-12	22" x 22" x 12.13" 55.88 x 55.88 x 30.81 cm	25.45" x 25.45" x 13.61" 64.64 x 64.64 x 34.57 cm	3.13" 7.95 cm	9" 22.86 cm	25.76 lbs 11.68 kg	X				X	
3R2222-20	22" x 22" x 20.07" 55.88 x 55.88 x 50.98 cm	25.5" x 25.5" x 23" 64.77 x 64.77 x 58.42 cm	3.57" 9.07 cm	16.5" 41.91 cm	28.15 lbs 12.77 kg		X	X	X	X	
3R2423-17	24" x 23" x 17.23" 60.96 x 58.42 x 43.76 cm	27.75" x 26.58" x 18.74" 70.49 x 67.51 x 47.6 cm	3.75" 9.53 cm	13.48" 34.24 cm	30.81 lbs 13.98 kg	X				X	
3R2424-24	24.38" x 24.31" x 23.86" 61.93 x 61.75 x 60.6 cm	28.19" x 28.25" x 26.57" 71.6 x 71.76 x 67.49 cm	3.32" 8.43 cm	20.42" 51.87 cm	35.18 lbs 15.96 kg		X	X	X		X
3R2523-26	25.75" x 23.25" x 26.5" 65.41 x 59.06 x 67.31 kg	28.75" x 26.25" x 29.5" 73.03 x 66.68 x 74.93 cm	3" 7.62 cm	23.5" 59.69 cm	47.95 lbs 21.75 kg						
3R2614-20	26.75" x 14.5" x 19.75" 67.95 x 36.83 x 50.17 cm	29.67" x 17.4" x 21.38" 75.41 x 44.2 x 54.31 cm	3.25" 8.26 cm	16.5" 41.91 cm	TBA						
3R2621-10	26.32" x 21.25" x 10.03" 66.85 x 53.98 x 25.48 cm	29.25" x 24.25" x 14.38" 74.3 x 61.6 x 36.53 cm	1.81" 4.6 cm	8" 20.32 cm	33 lbs 14.97 kg	X					
3R2624-11	26.08" x 24.08" x 11.1" 66.24 x 61.16 x 27.94 cm	29.25" x 27.25" x 16.26" 74.3 x 69.22 x 41.3 cm	3" 7.62 cm	8" 20.32 cm	32.36 lbs 14.68 kg						
3R2624-13	26.08" x 24.08" x 13.1" 66.24 x 61.16 x 33.27 cm	29.25" x 27.25" x 18.26" 74.3 x 69.22 x 46.38 cm	5" 12.7 cm	8" 20.32 cm	30.95 lbs 14.04 kg						
3R2624-15	26.08" x 24.08" x 15.1" 66.24 x 61.16 x 38.35 cm	29.25" x 27.25" x 20.26" 74.3 x 69.22 x 51.46 cm	3" 7.62 cm	12" 30.48 cm	33.26 lbs 15.09 kg						
3R2624-17	26.08" x 24.08" x 17.1" 66.24 x 61.16 x 43.43 cm	29.25" x 27.25" x 22.26" 74.3 x 69.22 x 56.54 cm	5" 12.7 cm	12" 30.48 cm	32.4 lbs 14.7 kg						
3R2624-20	26.08" x 24.08" x 20.1" 66.24 x 61.16 x 51.05 cm	29.25" x 27.25" x 25.16" 74.3 x 69.22 x 63.91 cm	12" 30.48 cm	8" 20.32 cm	35.02 lbs 15.88 kg						
3R2624-24	26.08" x 24.08" x 24.1" 66.24 x 61.16 x 61.21 cm	29.25" x 27.25" x 29.16" 74.3 x 69.22 x 74.07 cm	12" 30.48 cm	12" 30.48 cm	39.63 lbs 17.98 kg						
3R2727-13	27.25" x 27.25" x 13" 69.22 x 69.22 x 33.02 cm	30.25" x 30.25" x 16" 76.84 x 76.84 x 40.64 cm	3" 7.62 cm	10" 25.4 cm	37.91 lbs 17.2 kg		X				
3R2727-18	27" x 27" x 18" 68.58 x 68.58 x 45.72 cm	31" x 30.75" x 20.53" 78.74 x 78.11 x 52.15 cm	3.63" 9.22 cm	14.37" 36.5 cm	38.07 lbs 17.27 kg			X	X		X
3R2727-27	27" x 27" x 27" 68.58 x 68.58 x 68.58 cm	31" x 30.75" x 29.53" 78.74 x 78.11 x 75.01 cm	3.63" 9.22 cm	23.37" 59.36 cm	46.45 lbs 21.07 kg			X	X		X
3R2817-10	29" x 17.75" x 10.75" 73.66 x 45.09 x 27.31 cm	31.7" x 21.24" x 12.14" 80.52 x 53.95 x 30.84 cm	2.12" 5.39 cm	8.63" 21.92 cm	22.43 lbs 10.17 kg	X				X	

Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Standard	Optional Kits				
						Pull Handle/ Wheels	Edge Wheels	Caster Kit	Forklift Riser Kit	Cubed Foam	Layered Foam
3R3018-13	30.06" x 18.14" x 13.1" 76.35 x 46.08 x 33.27 cm	31.25" x 21.25" x 16.24" 84.46 x 53.98 x 41.25 cm	5" 12.7 cm	8" 20.32 cm	29.26 lbs 13.27 kg	X					
3R3018-17	30.06" x 18.14" x 17.1" 76.35 x 46.08 x 43.43 cm	31.25" x 21.25" x 20.24" 84.46 x 53.98 x 51.41 cm	9" 22.86 cm	8" 20.32 cm	30.14 lbs 13.67 kg	X					
3R3018-20	30.06" x 18.14" x 20.1" 76.35 x 46.08 x 51.05 cm	31.25" x 21.25" x 23.24" 84.46 x 53.98 x 59.03 cm	5" 12.7 cm	15" 38.1 cm	32.64 lbs 14.81 kg	X					
3R3018-24	30.06" x 18.14" x 24.1" 76.35 x 46.08 x 61.21 cm	31.25" x 21.25" x 27.24" 84.46 x 53.98 x 69.19 cm	9" 22.86 cm	15" 38.1 cm	33.81 lbs 15.34 kg	X					
3R3025-15	30.24" x 25.24" x 15.25" 76.81 x 64.11 x 38.74 cm	33.66" x 28.75" x 16.75" 85.5 x 73.03 x 42.55 cm	3.88" 9.86 cm	11.37" 28.88 cm	39.74 lbs 18.03 kg	X				X	
3R3214-15	32" x 14.5" x 16.3" 81.28 x 36.83 x 41.4 cm	35.23" x 17.6" x 17.87" 89.48 x 44.7 x 45.39 cm	3.64" 9.25 cm	12.66" 32.16 cm	30.91 lbs 14.02 kg	X				X	
3R3221-7	31.88" x 21" x 7.13" 80.98 x 53.34 x 18.11 cm	35" x 24" x 9" 88.9 x 60.96 x 22.86 cm	2.25" 5.72 cm	4.88" 12.4 cm	25.42 lbs 11.53 kg	X				X	
3R3426-19	34.25" x 26.25" x 19" 87 x 66.68 x 48.26 cm	38" x 29.5" x 23.26" 96.52 x 74.93 x 59.08 cm	2.75" 6.99 cm	16.25" 41.28 cm	54.48 lbs 24.71 kg	X					
3R3517-14	35.5" x 17" x 14.5" 90.17 x 43.18 x 36.83 cm	37.5" x 20.25" x 15.9" 95.25 x 51.44 x 40.39 cm	3" 7.62 cm	11.5" 29.21 cm	27.81 lbs 12.61 kg		X				
3R3620-24	36.25" x 20.63" x 24.02" 92.08 x 52.4 x 61.01 cm	39.31" x 23.63" x 27.13" 99.85 x 60.02 x 68.91 cm	3.88" 9.86 cm	20" 50.8 cm	TBA		X				
3R3633-9	36" x 33" x 9" 91.44 x 83.82 x 22.86 cm	39" x 36" x 12.2" 99.06 x 91.44 x 30.99 cm	3" 7.62 cm	6" 15.24 cm	53 lbs 24.04 kg		X				
3R3722-20	37.5" x 22.25" x 20" 95.25 x 56.52 x 50.8 cm	40.5" x 25.25" x 23.25" 102.87 x 64.14 x 59.06 cm	2.62" 6.66 cm	17.38" 44.15 cm	TBA	X					
3R3821-7	38.5" x 21.25" x 7.05" 97.79 x 53.98 x 17.91 cm	42.3" x 24.3" x 10" 107.44 x 61.72 x 25.4 cm	2.15" 5.46 cm	4.9" 12.45 cm	40.51 lbs 18.38 kg	X	X			X	X
3R3834-23	38.87" x 34.75" x 22.97" 98.73 x 88.27 x 58.34 cm	42" x 37.75" x 26.63" 106.68 x 95.89 x 67.64 cm	4.81" 12.22 cm	18.06" 45.87 cm	70.07 lbs 31.78 kg		X				
3R4024-18	40.25" x 24.25" x 18" 102.24 x 61.6 x 45.72 cm	44.19" x 28" x 20.5" 112.24 x 71.12 x 52.07 cm	3.5" 8.89 cm	14.5" 36.83 cm	51.89 lbs 23.54 kg		X	X	X		X
3R4024-24	40.06" x 24.13" x 24.26" 101.75 x 61.29 x 61.62 cm	43.75" x 27.88" x 26.38" 111.13 x 70.82 x 67.01 cm	3.76" 9.55 cm	20.5" 52.07 cm	64.71 lbs 29.35 kg		X	X	X		X
3R4035-5	39.7" x 35.6" x 5.25" 100.84 x 90.42 x 13.34 cm	43" x 38.38" x 6.75" 109.22 x 97.49 x 17.15 cm	2.3" 5.84 cm	2.95" 7.49 cm	34.85 lbs 15.81 kg						
3R4222-14	41.75" x 22" x 14.86" 106.05 x 55.88 x 37.74 cm	45.25" x 25" x 16.4" 114.94 x 63.5 x 41.66 cm	7.88" 20.02 cm	6.98" 17.73 cm	49.92 lbs 22.64 kg		X				X
3R4222-14W	41.75" x 22" x 14.86" 106.05 x 55.88 x 37.74 cm	45.25" x 25" x 16.4" 114.94 x 63.5 x 41.66 cm	7.88" 20.02 cm	6.98" 17.73 cm	49.92 lbs 22.64 kg	X					
3R4222-15	42" x 22" x 14.93" 106.68 x 55.88 x 37.92 cm	45.13" x 25.14" x 18.2" 114.63 x 63.86 x 46.23 cm	3.45" 8.76 cm	11.48" 29.16 cm	54.18 lbs 24.58 kg		X				X
3R4222-15W	42" x 22" x 14.93" 106.68 x 55.88 x 37.92 cm	45.13" x 25.14" x 18.2" 114.63 x 63.86 x 46.23 cm	3.45" 8.76 cm	11.48" 29.16 cm	54.18 lbs 24.58 kg	X					
3R4222-24	42" x 22" x 24" 106.68 x 55.88 x 60.96 cm	45.13" x 25.14" x 27.2" 114.63 x 63.86 x 69.09 cm	3.4" 8.64 cm	20.6" 52.32 cm	59.84 lbs 27.14 kg		X				X
3R4222-24W	42" x 22" x 23.93" 106.68 x 55.88 x 60.78 cm	45" x 25.25" x 27.13" 114.3 x 64.14 x 68.91 cm	3.38" 8.59 cm	20.33" 51.64 cm	60.27 lbs 27.34 kg	X					

Model Number	Interior (L x W x H)	Exterior (L x W x H)	Lid Depth	Base Depth	Weight (Empty)	Standard	Optional Kits				
						Pull Handle/ Wheels	Edge Wheels	Caster Kit	Forklift Riser Kit	Cubed Foam	Layered Foam
3R4238-20	42.25" x 38.25" x 20.25" 107.32 x 97.16 x 51.44 cm	45.25" x 41.25" x 23.2" 114.94 x 104.78 x 58.93 cm	3" 7.62 cm	17.25" 43.82 cm	77.22 lbs 35.03 kg		X				
3R4416-24	44.38" x 16.63" x 24.04" 112.73 x 42.24 x 61.06 cm	47.63" x 19.75" x 27.25" 120.98 x 50.17 x 69.22 cm	3.88" 9.86 cm	20.06" 50.95 cm	TBA	X					
3R4417-8	44" x 17" x 8" 111.76 x 43.18 x 20.32 cm	46" x 21" x 9.625" 116.84 x 53.34 x 24.45 cm	3" 7.62 cm	5" 12.7 cm	25.41 lbs 11.53 kg	X					
3R4436-24	44.38" x 36.25" x 24.05" 112.73 x 92.08 x 61.09 cm	47.38" x 39.25" x 27" 120.35 x 99.7 x 68.58 cm	3.88" 9.86 cm	20" 50.8 cm	TBA	X					
3R4436-36	44.38" x 36.19" x 35.97" 112.73 x 91.92 x 91.36 cm	47.5" x 39.38" x 39" 120.65 x 100.03 x 99.06 cm	3.88" 9.86 cm	32" 81.28 cm	TBA	X					
3R4530-24	45" x 30" x 24" 114.3 x 76.2 x 60.96 cm	49" x 34" x 26.25" 124.46 x 86.36 x 66.68 cm	4" 10.16 cm	20" 50.8 cm	65.07 lbs 29.52 kg		X	X	X		X
3R4714-10	48.13" x 14.88" x 10.47" 122.25 x 37.8 x 26.59 cm	50.88" x 17.5" x 12.13" 129.24 x 44.45 x 30.81 cm	5.12" 13.01 cm	5.25" 13.34 cm	29.16 lbs 13.23 kg	X					
3R4824-18	48" x 24" x 18" 121.92 x 60.96 x 45.72 cm	51" x 27" x 21.2" 129.54 x 68.58 x 53.85 cm	3" 7.62 cm	15" 38.1 cm	61.69 lbs 27.98 kg						
3R4909-5	49" x 9" x 5.75" 124.46 x 22.86 x 14.61 cm	51" x 12.5" x 7" 129.54 x 31.75 x 17.78 cm	2.375" 6.03 cm	3.375" 8.57 cm	19.67 lbs 8.92 kg						
3R5020-14	50.5" x 20.31" x 13.88" 128.27 x 51.59 x 35.26 cm	53.5" x 23.19" x 17" 135.89 x 58.9 x 43.18 cm	2.69" 6.83 cm	11" 27.94 cm	TBA	X	X				
3R5030-24	49.38" x 30" x 24" 125.43 x 76.2 x 60.96 cm	53.26" x 34" x 26.25" 135.28 x 86.36 x 66.68 cm	5" 12.7 cm	20" 50.8 cm	71.87 lbs 32.6 kg		X	X	X		X
3R5123-21	51.5" x 23.5" x 21.5" 130.81 x 59.69 x 54.61 cm	55" x 27" x 24" 139.7 x 68.58 x 60.96 cm	10.75" 27.31 cm	10.75" 27.31 cm	68.65 lbs 31.14 kg				X		
3R5212-7	52" x 12" x 8" 132.08 x 30.48 x 20.32 cm	54" x 15.5" x 9.125" 137.16 x 39.37 x 23.18 cm	3" 7.62 cm	5" 12.7 cm	22.17 lbs 10.06 kg	X					
3R5530-20	55.25" x 30.25" x 20" 140.34 x 76.84 x 50.8 cm	58.25" x 33.25" x 23.25" 147.96 x 84.46 x 59.06 cm	3" 7.62 cm	17" 43.18 cm	77.26 lbs 35.04 kg		X				
3R6029-31	60" x 29" x 31.3" 152.4 x 73.66 x 79.5 cm	63" x 32" x 34.8" 160.02 x 81.28 x 88.39 cm	22.3" 56.64 cm	9" 22.86 cm	98.72 lbs 44.78 kg	X					
3R6029-40	60.75" x 29.25" x 40" 154.31 x 74.3 x 101.6 cm	63.75" x 32.25" x 43.75" 161.93 x 81.92 x 111.13 cm	31" 78.74 cm	9" 22.86 cm	TBA	X					
3R6218-10	63.125" x 18.5" x 10" 161.29 x 46.99 x 25.4 cm	66.63" x 22.5" x 13" 169.24 x 57.15 x 33.02 cm	3" 7.62 cm	7" 17.78 cm	38.48 lbs 17.45 kg	X					
3R6223-10	63.25" x 23.63" x 10" 160.66 x 60.02 x 25.4 cm	67.5" x 27.37" x 12.75" 171.45 x 69.52 x 32.39 cm	3" 7.62 cm	7" 17.78 cm	49.29 lbs 22.36 kg	X					
3R6416-8	65.13" x 16.75" x 8.08" 165.43 x 42.55 x 20.52 cm	67.92" x 20.38" x 11.13" 172.52 x 51.77 x 28.27 cm	2.06" 5.23 cm	5.95" 15.11 cm	39.27 lbs 17.81 kg	X					
3R6820-20	68" x 20" x 20.5" 172.72 x 50.8 x 52.07 cm	72" x 24" x 24" 182.88 x 60.96 x 60.96 cm	3.5" 8.89 cm	17" 43.18 cm	73.12 lbs 33.17 kg	X					
3R7408-8	74" x 8" x 8" 187.96 x 20.32 x 20.32 cm	77.3" x 11" x 9.4" 196.34 x 27.94 x 23.88 cm	2.5" 6.35 cm	5.5" 13.97 cm	30.91 lbs 14.02 kg	X					
3R7532-27	75" x 32.5" x 27.55" 190.5 x 82.55 x 69.98 cm	78.05" x 35.45" x 31.03" 198.25 x 90.04 x 78.82 cm	19.3" 49.02 cm	8.25" 20.96 cm	109.45 lbs 49.65 kg	X					
3R8608-8	86" x 8" x 8" 218.44 x 20.32 x 20.32 cm	89" x 11" x 9.4" 226.06 x 27.94 x 23.88 cm	1.9" 4.83 cm	6.1" 15.49 cm	34.71 lbs 15.74 kg	X					

Rack Cases

i series 

3i-4U11-W 4U Injection Molded 11" Deep Carry-on Rack

Features a 4U capacity, TSA-accessible locking latches, front and rear rack rails, gasket-sealed doors, built-in wheels, a telescoping pull handle, and a molded-in lip to protect the rack from the elements—all in a convenient carry-on size

- Also available in Dark Grey: **3i-4U11G-W**

Exterior	22" x 14" x 9" 55.88 x 35.56 x 22.86 cm	
Weight	12.8 lbs	5.8 kg
Rail-to-rail depth	11"	27.94 cm



Audio Soft Racks

- Ideal for wireless microphone systems
- Constructed of a wood core covered by 600 Denier nylon
- Adjustable shoulder strap and loop handle for easy transport
- Recessed threaded steel rack rails
- Padded front and back lids have heavy-duty zippers



Model Number	Rack Units	Depth (Rail-to-Rail)	Exterior	Weight
1SKB-SC191U	1U	14.5" 36.83 cm	21" x 17" x 3.75" 53.34 x 43.18 x 9.53 cm	7.63 lbs 3.46 kg
1SKB-SC192U	2U	14.5" 36.83 cm	21" x 17.5" x 6.75" 53.34 x 44.45 x 17.14 cm	8.95 lbs 4.06 kg
1SKB-SC193U	3U	14.5" 36.83 cm	21.5" x 17.25" x 8.75" 54.61 x 43.81 x 22.23 cm	9.39 lbs 4.26 kg
1SKB-SC194U	4U	14 14.5" 36.83 cm.5"	21" x 17.25" x 10" 53.34 x 43.81 x 25.4 cm	10.09 lbs 4.58 kg

Shallow Roto Racks

Perfect for shallower gear, SKB Shallow Racks are roto-molded of Polyethylene (LLDPE) for extra strength and durability, with a unique bar design that signifies the rack unit size on the front and rear lids and provides secure stacking with SKB's Standard Roto Racks and Roto Rolling Racks. Other features include gasket-sealed lids, front and rear steel threaded rails and rack screws (10-32 thread), recessed steel Mil-Spec twist latches, flush carry handles, and non-slip rubber feet.



Shallow Roto Racks

All Shallow Racks are 10.7" deep from front rail to rear rail



Model Number	Exterior	Weight
1SKB-R2S	16.2" x 22.4" x 6.1" 41.1 x 56.9 x 15.6 cm	9.4 lbs 4.3 kg
1SKB-R3S	16.2" x 22.4" x 7.9" 41.1 x 56.9 x 20 cm	10.5 lbs 4.8 kg
1SKB-R4S	16.2" x 22.4" x 9.1" 41.1 x 56.9 x 23.1 cm	11.8 lbs 5.4 kg
1SKB-R6S	16.2" x 22.4" x 13.1" 41.1 x 56.9 x 33.3 cm	15.9 lbs 7.2 kg

Shallow Roto Rolling Racks

All Shallow Roto Rolling Racks are 11.75" deep from front rail to rear rail



Model Number	Exterior	Weight
1SKB-R4SW	24.65" x 17" x 11.02" 62.6 x 43.2 x 27.9 cm	20.2 lbs 9.16 kg
1SKB-R6SW	24.65" x 17" x 14.53" 62.6 x 43.2 x 36.9 cm	29.48 lbs 13.37 kg
1SKB-R8SW	24.65" x 17" x 17.94" 62.6 x 43.2 x 45.6 cm	31 lbs 14 kg

Standard Roto Racks

SKB Roto Racks are roto-molded of Polyethylene (LLDPE) for extra strength and durability, with a unique bar design that signifies the rack unit size on the front and rear lids and provides secure stacking with SKB's Standard Roto Racks and Roto Rolling Racks. Other features include gasket-sealed lids, front and rear steel threaded rails and rack screws (10-32 thread), recessed steel Mil-Spec twist latches, flush carry handles, and non-slip rubber feet.

Standard Roto Racks

All Standard Roto Racks are 17.6" deep from front rail to rear rail



Model Number	Exterior	Weight
1SKB-R2U	24" x 22.4" x 5.9" 61 x 56.9 x 14.9 cm	10.8 lbs 4.9 kg
1SKB-R3U	24" x 22.4" x 7.6" 61 x 56.9 x 19.4 cm	12.3 lbs 5.6 kg
1SKB-R4U	24" x 22.4" x 9.4" 61 x 56.9 x 23.8 cm	14.7 lbs 6.7 kg
1SKB-R6U	24" x 22.4" x 13" 61 x 56.9 x 33 cm	18.4 lbs 8.3 kg
1SKB-R8U	24" x 22.4" x 16.7" 61 x 56.9 x 42.4 cm	22.3 lbs 10.1 kg
1SKB-R10U	24" x 22.4" x 20.3" 61 x 56.9 x 51.4 cm	23.8 lbs 10.8 kg
1SKB-R12U	24" x 22.4" x 23.6" 61 x 56.9 x 60 cm	29.2 lbs 13.2 kg

Standard Rolling Roto Racks



Model Number	Exterior	Weight
1SKB-R4UW	26.5" x 22.5" x 11.5" 67.3 x 57.2 x 29.2 cm	22.9 lbs 10.4 kg
1SKB-R6UW	26.5" x 22.5" x 15" 67.3 x 57.2 x 38.1 cm	25.4 lbs 11.5 kg
1SKB-R8UW	26.8" x 22.5" x 18.5" 67.9 x 57.2 x 47 cm	28.6 lbs 13 kg



Fly Racks

These Fly Racks are housed in our military grade iSeries waterproof cases and feature removable aluminum alloy rack cages with 11 gauge carbon steel rack rails



Model Number	Rack Units	Rack Height	Depth (Rail-to-Rail)	Exterior	Weight
3i-2011M72U	2U	3.5" 8.9 cm	9" 22.9 cm	21.75" x 13.75" x 9" 52.2 x 34.9 x 22.9 cm	15.89 lbs 7.21 kg
3i-2215M82U	2U	3.5" 8.9 cm	13" 33 cm	24.5" x 18.25" x 9.75" 62.2 x 46.4 x 24.8 cm	16.02 lbs 7.27 kg
3i-2217M82U	2U	3.5" 8.9 cm	13" 33 cm	24.4" x 19.5" x 8.8" 61.9 x 49.5 x 22.2 cm	19.1 lbs 8.6 kg
3i-2011M103U	3U	5.25" 13.3 cm	9" 22.9 cm	22" x 14" x 12" 55.9 x 35.6 x 30.5 cm	12.75 lbs 5.78 kg
3i-2217M103U	3U	5.25" 13.3 cm	13" 33 cm	24.3" x 19.5" x 12.3" 61.6 x 49.5 x 31.1 cm	26.5 lbs 12 kg
3i-2424M103U	3U	5.25" 13.3 cm	20" 50.8 cm	24" x 24" x 10" 61 x 61 x 25.4 cm	33.67 lbs 15.27 kg
3i-2213M124U	4U	7" 17.8 cm	9" 22.9 cm	24.44" x 15.52" x 13.65" 62.1 x 39.4 x 9.3 cm	22.21 lbs 10 kg
3i-2217M124U	4U	7" 17.8 cm	13" 33 cm	24.5" x 19.5" x 14.5" 62.2 x 49.5 x 36.8 cm	28.6 lbs 13 kg
3i-2317M146U	6U	10.5" 26.7 cm	13" 33 cm	25.8" x 19.5" x 15.5" 65.4 x 49.5 x 39.4 cm	31.2 lbs 14 kg
3i-2424M146U	6U	10.5" 26.7 cm	20" 50.8 cm	26.75" x 26.5" x 15.625" 67.9 x 67.3 x 39.7 cm	36.77 lbs 17 kg
3i-22221210U	10U	10.5" 26.7 cm	10" 25.4 cm	22.52" x 24.98" x 14.15" 57.2 x 33.4 x 35.9 cm	34.42 lbs 16 kg

Military Grade Shock Racks

Military-grade shock racks are rotationally molded for maximum impact resistance with elastomeric shocks (standard payload 40 lbs – 150 lbs), threaded steel rails, and aluminum cross components for strength and durability.

- EIA standard 19" rack widths and rear rails
- Gasket-sealed doors for water resistance
- Heavy-duty stainless steel hardware
- Casters and built-in wheels standard on some models



20" Roto Rolling Shock Racks

Model Number	Rack Units	Depth (Rail-to-Rail)	Exterior	Weight
3SKB-R04U20W	4U	20" 50.8 cm	28.5" x 28" x 16" 72.4 x 71.1 x 40.6 cm	44.3 lbs 20.1 kg
3SKB-R06U20W	6U	20" 50.8 cm	28.5" x 28" x 19.5" 72.4 x 71.1 x 49.5 cm	50.7 lbs 23 kg
3SKB-R08U20W	8U	20" 50.8 cm	30.5" x 28" x 23" 77.5 x 71.1 x 58.4 cm	56 lbs 25.4 kg
3SKB-R10U20W	10U	20" 50.8 cm	30.5" x 28" x 26.5" 77.5 x 71.1 x 67.3 cm	59 lbs 26.8 kg
3SKB-R12U20W	12U	20" 50.8 cm	30.5" x 28" x 30" 77.5 x 71.1 x 76.2 cm	68 lbs 30.8 kg

20" Roto-Molded Shock Racks

Model Number	Rack Units	Depth (Rail-to-Rail)	Exterior	Weight
1SKB-R904U20	4U	20" 50.8 cm	27" x 27.7" x 15.5" 68.6 x 70.2 x 39.4 cm	36 lbs 16.3 kg
1SKB-R906U20	6U	20" 50.8 cm	27" x 27.8" x 18.9" 68.6 x 70.5 x 47.9 cm	43.3 lbs 19.6 kg
1SKB-R908U20	8U	20" 50.8 cm	29" x 27.8" x 22.3" 73.7 x 70.5 x 56.5 cm	46.5 lbs 21.1 kg
1SKB-R910U20	10U	20" 50.8 cm	29" x 27.8" x 26.1" 73.7 x 70.5 x 66.4 cm	54.4 lbs 24.7 kg
1SKB-R912U20	12U	20" 50.8 cm	29" x 27.8" x 26.9" 73.7 x 70.5 x 68.3 cm	57 lbs 25.8 kg
1SKB-R914U20	14U	20" 50.8 cm	29" x 27.9" x 32.4" 73.7 x 70.8 x 82.2 cm	68.6 lbs 31.1 kg
1SKB-R916U20	16U	20" 50.8 cm	29" x 27.3" x 35.9" 73.7 x 69.2 x 91.1 cm	76 lbs 34.5 kg
1SKB-1916	Caster Cart			



24", 28", and 30" Shock Racks

Model Number	Rack Units	Rack Type	Depth (Rail-to-Rail)	Exterior	Weight
3SKB-R904U24	4U	Threaded	24" 61 cm	36" x 26.8" x 16.3" 91.4 x 67.9 x 41.3 cm	58 lbs 26.3 kg
3SKB-R906U24	6U	Threaded	24" 61 cm	36" x 26.8" x 20" 91.4 x 67.9 x 50.7 cm	66.6 lbs 30.2 kg
3SKB-R908U24	8U	Threaded	24" 61 cm	36" x 26.8" x 23.3" 91.4 x 67.9 x 59.1 cm	74.7 lbs 33.9 kg
3SKB-R910U24	10U	Threaded	24" 61 cm	36" x 26.8" x 26.8" 91.4 x 67.9 x 67.9 cm	79.9 lbs 36.2 kg
3SKB-R912U24	12U	Threaded	24" 61 cm	36" x 26.8" x 30.5" 91.4 x 67.9 x 77.3 cm	83.3 lbs 37.8 kg
3SKB-R914U24	14U	Threaded	24" 61 cm	36" x 26.8" x 34" 91.4 x 67.9 x 86.2 cm	94.2 lbs 42.7 kg
3SKB-R916U24	16U	Threaded	24" 61 cm	36" x 26.8" x 38" 91.4 x 67.9 x 96.5 cm	102.6 lbs 46.5 kg
3SKB-R904U28	4U	Square Hole	29.25" 74.3 cm	42" x 26.8" x 16.3" 106.7 x 67.9 x 41.3 cm	61.5 lbs 27.9 kg
3SKB-R906U28	6U	Square Hole	29.25" 74.3 cm	42" x 26.8" x 19.5" 106.7 x 67.9 x 49.5 cm	67.8 lbs 30.8 kg
3SKB-R908U28	8U	Square Hole	29.25" 74.3 cm	42" x 26.8" x 23.5" 106.7 x 67.9 x 59.7 cm	78.2 lbs 35.4 kg
3SKB-R910U28	10U	Square Hole	29.25" 74.3 cm	42" x 26.8" x 27.3" 106.7 x 67.9 x 69.2 cm	81.3 lbs 36.9 kg
3SKB-R904U30	4U	Threaded	30" 76.2 cm	42" x 26.8" x 16.3" 106.7 x 67.9 x 41.3 cm	60.8 lbs 27.6 kg
3SKB-R906U30	6U	Threaded	30" 76.2 cm	42" x 26.8" x 19.5" 106.7 x 67.9 x 49.5 cm	66.8 lbs 30.3 kg
3SKB-R908U30	8U	Threaded	30" 76.2 cm	42" x 26.8" x 23.5" 106.7 x 67.9 x 59.7 cm	76.8 lbs 34.8 kg
3SKB-R910U30	10U	Threaded	30" 76.2 cm	42" x 26.8" x 27.3" 106.7 x 67.9 x 69.2 cm	79.9 lbs 36.2 kg

3RS Series Racks

When maximum shock isolation is needed but a sliding frame is not, this static rack case provides the best performance with the smallest exterior dimension footprint for this depth



Model Number	Rack Units	Rack Height	Depth (Rail-to-Rail)	Front (Lid Depth)	Rear (Lid Depth)	Weight
3RS-3U20-22B	3U	5.25" 13.3 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	34.5 lbs 15.6 kg
3RS-3U24-25B	3U	5.5" 14 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	46.6 lbs 21.1 kg
3RS-3U30-25B	3U	5.5" 14 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	50.4 lbs 22.9 kg
3RS-4U20-22B	4U	7" 17.8 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	47.93 lbs 21.74 kg
3RS-4U24-25B	4U	7" 17.8 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	50.6 lbs 23 kg
3RS-4U30-25B	4U	7" 17.8 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	53.8 lbs 24.4 kg
3RS-5U20-22B	5U	8.75" 22.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	50.23 lbs 22.78 kg
3RS-5U24-25B	5U	8.75" 22.2 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	50.2 lbs 22.8 kg
3RS-5U30-25B	5U	8.75" 22.2 cm	30" 76.2 cm	2" 5.1 cm	5" 12.7 cm	55.8 lbs 25.3 kg
3RS-6U20-22B	6U	10.5" 26.7 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	43.37 lbs 19.67 kg
3RS-7U20-22B	7U	12.25" 31.1 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	57.05 lbs 25.87 kg
3RS-7U24-25B	7U	12.25" 31.1 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	55.8 lbs 25.3 kg
3RS-9U20-22B	9U	15.75" 40 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	49.83 lbs 22.6 kg
3RS-9U24-25B	9U	15.75" 40 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	65.4 lbs 29.6 kg
3RS-11U20-22B	11U	19.25" 48.9 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	56.43 lbs 25.6 kg
3RS-11U24-25B	11U	19.25" 48.9 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	70 lbs 31.8 kg
3RS-14U20-22B	14U	24.5" 62.2 cm	20" 50.8 cm	2" 5.1 cm	2" 5.1 cm	75.81 lbs 34.39 kg
3RS-14U24-25B	14U	24.5" 62.2 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	71 lbs 32.2 kg

3RR Series Racks

When maximum shock isolation is needed with a sliding rack, this removable rack case provides the best performance with the smallest exterior dimension footprint for this depth



Model Number	Rack Units	Rack Height	Depth (Rail-to-Rail)	Front (Lid Depth)	Rear (Lid Depth)	Weight
3RR-3U20-22B	3U	5.25" 13.3 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	44.4 lbs 20.1 kg
3RR-3U24-25B	3U	5.25" 13.3 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	57 lbs 25.9 kg
3RR-3U30-25B	3U	5.25" 13.3 cm	30" 76.2 cm	2" 5.1 cm"	5" 12.7 cm	50.4 lbs 22.9 kg
3RR-4U20-22B	4U	7" 17.8 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	47.93 lbs 21.74 kg
3RR-4U24-25B	4U	7" 17.8 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	66.8 lbs 30.3 kg
3RR-4U30-25B	4U	7" 17.8 cm	30" 76.2 cm	2" 5.1 cm"	5" 12.7 cm	66.6 lbs 30.2 kg
3RR-5U20-22B	5U	8.75" 22.2 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	50.23 lbs 22.78 kg
3RR-5U24-25B	5U	8.75" 22.2 cm	24" 61 cm	2" 5.1 cm	5" 12.7 cm	66 lbs 29.9 kg
3RR-5U30-25B	5U	8.75" 22.2 cm	30" 76.2 cm	2" 5.1 cm"	5" 12.7 cm	68.6 lbs 31.1 kg
3RR-6U20-22B	6U	10.5" 26.7 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	43.37 lbs 19.67 kg
3RR-7U20-22B	7U	12.25" 31.1 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	57.05 lbs 25.87 kg
3RR-7U24-25B	7U	12.25" 31.1 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	68.6 lbs 31.1 kg
3RR-9U20-22B	9U	15.75" 40 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	49.83 lbs 22.6 kg
3RR-9U24-25B	9U	15.75" 40 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	77 lbs 34.9 kg
3RR-11U20-22B	11U	19.25" 48.9 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	56.43 lbs 25.6 kg
3RR-11U24-25B	11U	19.25" 48.9 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	83.2 lbs 37.7 kg
3RR-14U20-22B	14U	24.5" 62.2 cm	20" 50.8 cm	2" 5.1 cm"	2" 5.1 cm	75.81 lbs 34.39 kg
3RR-14U24-25B	14U	24.5" 62.2 cm	24" 61 cm	2" 5.1 cm"	5" 12.7 cm	94.8 lbs 43 kg

Warranty Info



Lifetime Warranty

SKB injection-molded, roto-molded, and ATA-rated hard case products are fully warranted against defects in materials and craftsmanship to the original owner for the lifetime of the case. SKB will repair or replace any product found to be defective, however SKB DOES NOT REPLACE CASES FOR DAMAGED HARDWARE. All locks, handles, and wheels are designed to be field replaceable, take just minutes to install, and will be supplied at no charge via US mail.



SKB 5-Year Warranty

Cases with our 5-Year Warranty are warranted for five (5) years to the original owner against defects in materials and craftsmanship. Any defects in workmanship will be covered by SKB. Damages due to accident, improper care, negligence, or normal wear—where SKB is not at fault—are not covered.



Soft Products Warranty

SKB Soft Products are fully warranted to the original owner against defects in materials and craftsmanship for one year from purchase. Any defects in workmanship will be covered by SKB. Damages due to accident, improper care, negligence or normal wear, where SKB is not at fault, are not covered on Soft Products.



SKB USA | Corporate HQ

434 W. Levers Place
Orange, CA 92867
ph: (714) 637-1252

SKB Europe

Hamelendijk 2
5541 RA Reusel
Netherlands
ph: +31 (0) 497 339 836
www.skb-europe.com

SKB Middle East-Africa

Business Center
Dubai World Central
PO Box 390667
Dubai, UAE
sales@skbcases-mea.com
www.skbcases-mea.com



www.skbcases.com

SKB-0324 (01/25) © SKB Cases
Corporation, 2025. All rights reserved.



SKB
CASES